



SPECIFICATION SHEET

Surfactant 12A4 (Pannox 74)

Appearance:	Liquid
Composition	Polyoxyethylene Lauryl Ether. (POE(4) C12-C15 Alcohol.
PH 1% Aq.:	5.0 – 7.0
Colour (APHA NO.):	A-80max
Moisture %:	0.5Max
HLB:	9.8
Pour Point	3 Deg C
S.G.	0.935-0.955 @ 30 Deg C
Hydroxyl Number(mgKOH/g)	138-145
Viscosity CP @20Deg C	40

Refer MSDS for further information

The content of this specification is produced by RPL from information provided from its source. Whilst all care is taken, RPL does not warrant the accuracy of the information and the customer must satisfy itself as to the suitability of the goods for the customers purpose.

REV01 230306 ADDRESS DETAILS

RPL TRADING PTY LTD • ABN 88 087 329 128 •
159-161 ALLINGHAM ST, GOLDEN SQUARE VIC 3555
8.30AM-5.00PM PHONE: 1300 132 134 • FAX:1300 669 660
AH. 0417 15 38 31